



PUBLIC DISCLOSURE STATEMENT

JCDECAUX

PRODUCT CERTIFICATION - STATIC SMALL
FORMAT ADVERTISING POSTER PRODUCTS

CY2022 [PROJECTION]


Australian Government

Climate Active Public Disclosure Statement



An Australian Government Initiative



| | |
|--------------------------|---|
| NAME OF CERTIFIED ENTITY | JCDecaux Australia Pty Ltd |
| REPORTING PERIOD | 1 January 2022 – 31 December 2022 [PROJECTED] |
| DECLARATION | <p><i>To the best of my knowledge, the information provided in this public disclosure statement is true and correct and meets the requirements of the Climate Active Carbon Neutral Standard.</i></p> <p> Jose Sanz on behalf of Anthony Kanaan</p> <p>Anthony Kanaan Head of WHSEQ and Sustainability</p> |



Australian Government

**Department of Industry, Science,
Energy and Resources**

Public Disclosure Statement documents are prepared by the submitting organisation. The material in Public Disclosure Statement documents represents the views of the organisation and do not necessarily reflect the views of the Commonwealth. The Commonwealth does not guarantee the accuracy of the contents of the Public Disclosure Statement documents and disclaims liability for any loss arising from the use of the document for any purpose.

Version March 2022. To be used for FY20/21/CY2021 reporting onwards.



1.CERTIFICATION SUMMARY

| | |
|------------------------|--|
| TOTAL EMISSIONS OFFSET | 841 tCO ₂ -e |
| THE OFFSETS BOUGHT | 100% ACCUs |
| RENEWABLE ELECTRICITY | 66% renewables |
| TECHNICAL ASSESSMENT | Date: 21 June 2022 Name: Morna McGuire Organisation: Pangolin Associates Pty Ltd Next technical assessment due: 28 April 2024 |
| THIRD PARTY VALIDATION | Type 3 Date 16 th June 2022 Name Tim Grant Organisation Lifecycles |

Contents

| | |
|--|----|
| 1. Certification summary | 3 |
| 2. Carbon neutral information | 4 |
| 3. Emissions boundary | 5 |
| 4. Emissions reductions..... | 9 |
| 5. Emissions summary | 10 |
| 6. Carbon offsets | 11 |
| 7. Renewable Energy Certificate (REC) summary..... | 13 |
| Appendix A: Additional information | 14 |
| Appendix B: Electricity summary | 15 |
| Appendix C: Inside emissions boundary | 16 |
| Appendix D: Outside emission boundary..... | 17 |

2. CARBON NEUTRAL INFORMATION

Description of certification

This inventory has been prepared using the calendar year 2021 to project the emissions for 1 January 2022 to 31 December 2022 and covers the Static Small Format (formerly Street Furniture) advertising poster products using synthetic paper produced by GSP Print for JCDecaux Australia Pty Ltd, ABN: 49 059 604 278.

The methods used for collating data, performing calculations, and presenting the carbon account are in accordance with the following standards:

- Climate Active Standards
- The Greenhouse Gas Protocol: A Corporate Accounting and Reporting Standard (Revised Edition)

The greenhouse gases considered within the inventory are those that are commonly reported under the Kyoto Protocol; carbon dioxide (CO₂), methane (CH₄), nitrous oxide (N₂O) and synthetic gases - hydrofluorocarbons (HFCs), perfluorocarbons (PFCs) Sulphur hexafluoride (SF₆) and nitrogen trifluoride (NF₃). These have been expressed as carbon dioxide equivalents (CO₂-e) using relative global warming potentials (GWPs).

Product/Service description

This must include:

- The functional unit of the Static Small Format (formerly Street furniture) advertisement posters is 1m² of synthetic paper. produced by GSP Print
- It is full coverage.
- The assessment is Cradle to Grave.

“Participating in Climate Active shows JCDecaux is working continuously to improve a greener, more sustainable business.”

3.EMISSIONS BOUNDARY

Inside the emissions boundary

All emission sources listed in the emissions boundary are part of the carbon neutral claim.

Quantified emissions have been assessed as 'attributable processes' that become the product, make the product and carry the product through its life cycle. These have been quantified in the carbon inventory.

Non-quantified emissions have been assessed as attributable and are captured within the emissions boundary, but are not measured (quantified) in the carbon inventory. All material emissions are accounted for through an uplift factor. Further detail is available at Appendix C.

Outside the emissions boundary

Non-attributable emissions have been assessed as not attributable to a product or service. They can be **optionally included** in the emissions boundary and therefore have been offset, or they can be listed as outside of the emissions boundary (and are therefore not part of the carbon neutral claim). Further detail is available at Appendix D.

Inside emissions boundary

Quantified

Static Small format
Structures

ROJO XTC 283- High
density single layer
polypropylene synthetic
paper.

ROJO XTI 200- Low density
biaxially oriented
polypropylene synthetic
paper.

Ink for printing

Electricity at printing facility

Water at printing facility

Waste at printing facility

Inbound and outbound
freight

Electricity consumption by
Static Small Format
Structures

Installation of posters on
Static Small Format
Structures

End of life transport

End of life treatment

Non-quantified

N/A

Optionally included

N/A


Outside emission boundary

Non-attributable

N/A

Product/service process diagram

Cradle-to-grave



Data management plan for non-quantified sources

There are no non-quantified sources in the emission boundary that require a data management plan.

4.EMISSIONS REDUCTIONS

Emissions reduction strategy

In line with JCDecaux Australia's Organisational targets, the emissions reduction strategy for Small Format Static advertising poster product and installation aims to reduce overall emissions by 20% by 2036 compared to CY2021 baseline.

Scope 1 emissions will be reduced by:

- Upgrade company-controlled vehicles with Hybrid or electric models where possible
- Determine suitability of Small format depot and scale premises as appropriate
- Utilise Lean manufacturing processes to optimise production and reduce landfill waste

Scope 2 emissions will be reduced by:

- Reduce electricity usage by replacing lighting with LED at all sites
- Purchase GreenPower as per organisational certification

Scope 3 emissions will be reduced by:

- Ensure all packaging from suppliers in the production process is recyclable or can be diverted from Landfill
- Ensure deliveries to depots are optimised to reduce delivery frequencies

Emissions reduction actions

N/A for initial application

5.EMISSIONS SUMMARY

Use of Climate Active carbon neutral products and services

This assessment and Climate Active submission were prepared with the assistance of [Pangolin Associates](#) and these services are also carbon neutral.

Product/Service emissions summary

| Stage | tCO2-e |
|--|--------------|
| Static small format structures (formerly known as street furniture) | 586.4 |
| ROJO XTC 283- High density single layer polypropylene synthetic paper. | 145.6 |
| ROJO XTI 200- Low density biaxially oriented polypropylene film. | 15.9 |
| Inbound Transport – Static small format structures | 24.3 |
| Inbound Transport-Posters | 6.8 |
| Printing Ink | 2.3 |
| Electricity at Printing facility* | - |
| Waste at Printing facility* | - |
| Outbound Freight* | - |
| Concrete for street furniture installation | 58.4 |
| Electricity by static small format structures* | - |
| End of Life transport | 0.8 |
| End of life emissions – inert waste | 0 |
| Total | 840.4 |

* Note – Electricity, freight and waste emissions overlap with the organisation and are included in the organisation [CY2021 PDS](#).

| | |
|---|--------------|
| Emissions intensity per functional unit | 0.02 |
| Number of functional units to be offset | 207,777 |
| Total emissions to be offset | 840.4 |

6. CARBON OFFSETS

Offsets retirement approach

Forward purchasing

| | | |
|----|--|-------|
| 1. | Total emissions footprint to offset for this report | 840.4 |
| 2. | Total eligible offsets purchased and retired for this report and future reports | 841 |
| 3. | Total eligible offsets retired and used for this report | 841 |
| 4. | Total eligible offsets forward purchased and banked to use toward next year's report | 0 |

Co-benefits

BioDiversity Carbon Conservation

The Biodiversity Carbon Conservation project set up in Jerramungup local government area establishes permanent plantings of a mix of native tree species on land that was predominantly used for agricultural purposes for at least five years prior to project commencement. The tree species are native to the local area.

Eligible offsets retirement summary

| Offsets cancelled for Climate Active Carbon Neutral Certification | | | | | | | | | | | |
|---|----------------------|----------|--------------|--|---------|------------------|---|---|---|--|-------------------------|
| Project description | Type of offset units | Registry | Date retired | Serial number (and hyperlink to registry transaction record) | Vintage | Stapled quantity | Eligible quantity (tCO ₂ -e) | Eligible quantity used for previous reporting periods | Eligible quantity banked for future reporting periods | Eligible quantity used for this reporting period | Percentage of total (%) |
| Biodiversity Carbon Conservation, WA | ACCUs | ANREU | 22 June 2022 | 8342004371-8342005211 | 2021-22 | | 841 | 0 | 0 | 841 | 100.0% |
| Total offsets retired this report and used in this report | | | | | | | | | | 841 | |
| Total offsets retired this report and banked for future reports | | | | | | | | | 0 | | |

* Note –The offsets with the organisation overlap are included in the organisation [CY2021 PDS](#).

| Type of offset units | Quantity (used for this reporting period claim) | Percentage of total |
|--|---|---------------------|
| Australian Carbon Credit Units (ACCUs) | 841 | 100.0% |

7. RENEWABLE ENERGY CERTIFICATE (REC) SUMMARY

Renewable Energy Certificate (REC) Summary

LGCs were purchased for Signage electricity consumption, which is also part of the organisation boundary. Refer to [CY 2021 Organisation PDS](#) for Renewable Energy Certificate Summary.

APPENDIX A: ADDITIONAL INFORMATION

Additional purchase of International Renewable Energy Certificates

In CY2021 JCDecaux purchased 14,050 kWh of International Renewable Energy Certificates (I-RECs) from Dongtan Onshore Windfarm, China. Whilst these I-RECs cannot be used to offset electricity emissions under Climate Active, they do contribute to global sustainability. See details below.


| Device | Country of Origin | Energy Source | Technology | Supported | Commissioning Date | Carbon (CO ₂ / MWh) |
|--------------------------|-------------------|---------------|------------|-----------|--------------------|--------------------------------|
| Dongtan Onshore Windfarm | China | Wind | Onshore | No | 2012-07-26 | 0.0 |

| From Certificate ID | To Certificate ID | Number of Certificates | Offset Attributes | Period of Production | Issuer |
|---------------------|---------------------|------------------------|-------------------|-------------------------|---|
| 0000-0001-2611-1621 | 0000-0001-2612-5670 | 14 050 | Inc | 2021-07-01 - 2021-10-31 | Green Certificate Company (GCC) |

Shared emissions between certifications by the same responsible entity

- GSP prints Electricity: 82.88 tCO₂-e overlapped with the Organisation PDS.
- Signage Electricity: 3106.47 tCO₂-e overlapped with the Organisation PDS.
- Freight: 4.43 tCO₂-e overlapped with the Organisation PDS.
- Waste: 15.16 tCO₂-e overlapped with the Organisation PDS.

| Emissions (tCO ₂ -e) | |
|---------------------------------|--|
| Total offset liability | = 12,330.5 + 3946.92 – 3106.47 = 13,170.95 tCO ₂ -e |
| Offset by organisation | = 12,330.5 tCO ₂ -e |
| Offset by product | = 3,946.92 – 3,106.47 = 840.44 tCO ₂ -e |



APPENDIX B: ELECTRICITY SUMMARY

GSP prints is part of JCDecaux's print operations. Printing and cutting of all the advertisement products is done at GSP prints. Emissions from electricity used for printing and cutting the transit stickers at GSP prints overlap with organisation boundary.

Refer to [CY 2021 Organisation PDS](#) for electricity summary.

APPENDIX C: INSIDE EMISSIONS BOUNDARY

Non-quantified emission sources

The following sources emissions have been assessed as attributable, are captured within the emissions boundary, but are not measured (quantified) in the carbon inventory. These emissions are accounted for through an uplift factor. They have been non-quantified due to one of the following reasons:

1. **Immaterial** <1% for individual items and no more than 5% collectively
2. **Cost effective** Quantification is not cost effective relative to the size of the emission but uplift applied.
3. **Data unavailable** Data is unavailable but uplift applied. A data management plan must be put in place to provide data within 5 years.
4. **Maintenance** Initial emissions non-quantified but repairs and replacements quantified.

No emission sources in JCDecaux's product boundary were non-quantified for this certification period.

| Relevant-non-quantified emission sources | (1) Immaterial | (2) Cost effective (but uplift applied) | (3) Data unavailable (but uplift applied & data plan in place) | (4) Maintenance |
|--|----------------|---|--|-----------------|
| N/A | N/A | N/A | N/A | N/A |

Excluded emission sources

Attributable emissions sources can be excluded from the carbon inventory, but still considered as part of the emissions boundary if they meet **all three of the below criteria**. An uplift factor may not necessarily be applied.

1. A data gap exists because primary or secondary data cannot be collected (**no actual data**).
2. Extrapolated and proxy data cannot be determined to fill the data gap (**no projected data**).
3. An estimation determines the emissions from the process to be **immaterial**.

| | No actual data | No projected data | Immaterial |
|-----|----------------|-------------------|------------|
| N/A | N/A | N/A | N/A |

APPENDIX D: OUTSIDE EMISSION BOUNDARY

Non-attributable emissions have been assessed as not attributable to a product or service (do not carry, make or become the product/service) and are therefore not part of the carbon neutral claim. To be deemed attributable, an emission must meet two of the five relevance criteria. Emissions which only meet one condition of the relevance test can be assessed as non-attributable and therefore are outside the carbon neutral claim. Non-attributable emissions are detailed below.

| Relevance test | | | | | |
|---------------------------|---|--|---|---|--|
| Non-attributable emission | <i>The emissions from a particular source are likely to be large relative to the organisation's electricity, stationary energy and fuel emissions</i> | <i>The emissions from a particular source contribute to the organisation's greenhouse gas risk exposure.</i> | <i>Key stakeholders deem the emissions from a particular source are relevant.</i> | <i>The responsible entity has the potential to influence the reduction of emissions from a particular source.</i> | <i>The emissions are from outsourced activities previously undertaken within the organisation's boundary, or from outsourced activities typically undertaken within the boundary for comparable organisations.</i> |
| N/A | N/A | N/A | N/A | N/A | N/A |



An Australian Government Initiative

